

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 21 1988 NEW PRIORITY DATE: JUNE 17 1996

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... JUL 18 1979 under 38597

The applicant PARK AVENUE WATER USER'S ASSOCIATION

5640 N. Park St., of Las Vegas,
Street and No. or P.O. Box No. City or Town

NV 89129, hereby make... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Aug. 29, 1980 Las Vegas, Nevada. See

attached list of members & officers of corporation for mailings re: Water

1. The source of the proposed appropriation is an underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.25 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for quasi-municipal and domestic purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under No. 12. "Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point within the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section
Describe as being within a 40-acre subdivision of public

30, T.19S., R.60E., MDB&M., or at a point from which the South Quarter (S $\frac{1}{4}$)
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

Corner of said Section 30 bears South 63° 57' West a distance of 764 feet.

6. Place of use portion of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, T.19S., R.60E., five acres
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

(eight one half acre parcels with eight residences) within the W $\frac{1}{2}$ of the SE $\frac{1}{4}$ of

the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, Township 19 South, Range 60 East.

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) eight inch well casing approximately four
hundred feet deep and 1200 lineal feet

of water line from the well to the houses & five horsepower submersible electric
flumes, drilled well with pump and motor, etc. pump.

CORRECTED PERMIT

9. Estimated cost of works.....\$16,500.00

10. Estimated time required to construct works.....five years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....Seven years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

The well will service eight residences within the W $\frac{1}{2}$ of the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, Township 19 South, Range 60 East, M.D.B.&M., Clark County, Nevada. This application is to replace cancelled Permit No. 38597.

By s/ Kathe Avey
Kathe Avey Secretary
PARK AVE. WATER USER'S ASSOCIATION
5640 N. Park Street
Las Vegas, NV 89129

Compared.....am/se.....am/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....0.25.....cubic feet per second, but not to exceed 2.92 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before.....March 31, 1991

Proof of completion of work shall be filed before.....April 30, 1991

Application of water to beneficial use shall be filed on or before.....March 31, 1994

Proof of the application of water to beneficial use shall be filed on or before.....April 30, 1994

Map in support of proof of beneficial use shall be filed on or before.....N/A

Completion of work filed.....MAY 19 1989

Proof of beneficial use filed.....

Cultural map filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 8th day of October

A.D. 90

[Signature]
State Engineer

Certificate No. JUN 27 1996 Issued
CANCELED OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
BECAUSE OF FAILURE
Can. Rescinded 9-9-96
STATE ENGINEER

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

MAR 21 1988

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

JUL 18 1979 under 38597

The applicant..... PARK AVENUE WATER USER'S ASSOCIATION.....

5640 N. Park St., of Las Vegas, City or Town
Street and No. or P.O. Box No.NV 89129, hereby make application for permission to appropriate the public
State and Zip Code No.waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.) Aug. 29, 1980 Las Vegas, Nevada. See attached

list of members & officers of corporation for mailings re: Water

1. The source of the proposed appropriation is..... an underground source
Name of stream, lake, spring, underground or other source2. The amount of water applied for is..... 0.25 cfs..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... quasi-municipal and domestic purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point within the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section
Describe as being within a 40-acre subdivision of public30, T.19S., R.60E., MDB&M., or at a point from which the South Quarter (S $\frac{1}{4}$)
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

Corner of said Section 30 bears South 63° 57' West a distance of 764 feet.

6. Place of use..... portion of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, T.19S., R.60E., five acres
Describe by legal subdivision. If on unsurveyed land, it should be so stated.(eight one half acre parcels with eight residences) within the W $\frac{1}{2}$ of the SE $\frac{1}{4}$ of the
SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 30, Township 19 South, Range 60 East.7. Use will begin about..... January 1st..... and end about..... December 31st....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) eight inch well casing approximately four
hundred feet deep and 1200 lineal feet State manner in which water is to be diverted, i.e. diversion structure, ditches and
of water line from the well to the houses & five horsepower submersible electric
flumes, drilled well with pump and motor, etc. pump.

9. Estimated cost of works. \$16,500.00